

L Number	Hits	Search Text	DB	Time stamp
1	10	((("5257996") or ("5391173") or ("5464407") or ("5520693") or ("5658289")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 08:00
-	707	(606/104,99).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 15:49
-	3139	((606/104,99) or (81/436,442,480) or (600/104,585)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 14:11
-	0	20030135239.URPN.	USPAT	2004/03/05 14:14
-	4	2581336.URPN.	USPAT	2004/03/05 15:47
-	1700	(600/104,585).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 15:49
-	1510	((600/104,585).CCLS.) and (screw fastener ((insertion implant\$3) near tool) driver (guide adj wire) guide wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 15:55
-	74	((600/104,585).CCLS.) and (((insertion implant\$3) near tool) driver) and ((guide adj wire) guide wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 15:56
-	74	((600/104,585).CCLS.) and (((insertion implant\$3) near tool) driver) and ((guide adj wire) guide wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 15:56
-	1493	((600/104,585).CCLS.) and (((insertion implant\$3) near tool) driver (guide adj wire) guide wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 16:30
-	82	((600/104,585).CCLS.) and (((insertion implant\$3) near tool) driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 16:30
-	0	81/436,442,480	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 16:30
-	248	((81/436,442,480).CCLS.) and (((insertion implant\$3) near tool) driver (guide adj wire) guide wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 16:31
-	220	((81/436,442,480).CCLS.) and (((insertion implant\$3) near tool) driver wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 16:31
-	220	((81/436,442,480).CCLS.) and (((insertion implant\$3) near tool) driver wire guidewire)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 16:31
-	735	(81/436,442,480).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 16:52
-	665	(606/232).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:36
-	1614942	suture wire guidewire thread	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:45

-	525952	driver screwdriver ((insertion implant\$3) near (apparatus tool))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:39
-	3519586	lock\$4 secur\$4 retention retain\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:43
-	3825149	lock\$4 secur\$4 retention retain\$3 fasten\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 18:12
-	216121	(lock\$4 secur\$4 retention retain\$3 fasten\$3) with (suture wire guidewire thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:44
-	1217030	wire guidewire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:45
-	120126	(wire guidewire) with (lock\$4 secur\$4 retention retain\$3 fasten\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:52
-	9278	((wire guidewire) with (lock\$4 secur\$4 retention retain\$3 fasten\$3)) and (driver screwdriver ((insertion implant\$3) near (apparatus tool)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:54
-	1202584	fastener screw	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:53
-	5120	((wire guidewire) with (lock\$4 secur\$4 retention retain\$3 fasten\$3)) and (driver screwdriver ((insertion implant\$3) near (apparatus tool))) and (fastener screw)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:53
-	1400	((wire guidewire) with (lock\$4 secur\$4 retention retain\$3 fasten\$3)) same (driver screwdriver ((insertion implant\$3) near (apparatus tool)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:54
-	687	((wire guidewire) with (lock\$4 secur\$4 retention retain\$3 fasten\$3)) with (driver screwdriver ((insertion implant\$3) near (apparatus tool)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:54
-	176	((wire guidewire) with (lock\$4 secur\$4 retention retain\$3 fasten\$3)) with (driver screwdriver ((insertion implant\$3) near (apparatus tool))) same (fastener screw)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:55
-	164	((wire guidewire) with (lock\$4 secur\$4 retention retain\$3 fasten\$3)) with (driver screwdriver ((insertion implant\$3) near (apparatus tool))) same (fastener screw) not ((606/104,99) or (81/436,442,480) or (600/104,585)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 17:55
-	25278	(lock\$4 secur\$4 retention retain\$3 fasten\$3) near (wire guidewire)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 18:12
-	249	((lock\$4 secur\$4 retention retain\$3 fasten\$3) near (wire guidewire)) same (driver screwdriver ((insertion implant\$3) near (apparatus tool)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 18:14

-	106	(((((lock\$4 secur\$4 retention retain\$3 fasten\$3) near (wire guidewire)) same (driver screwdriver ((insertion implant\$3) near (apparatus tool)))) not (((((wire guidewire) with (lock\$4 secur\$4 retention retain\$3 fasten\$3)) with (driver screwdriver ((insertion implant\$3) near (apparatus tool)))) same (fastener screw)) not (((606/104,99) or (81/436,442,480) or (600/104,585)).CCLS.))) and (fastener screw)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 18:13
-	216	((((lock\$4 secur\$4 retention retain\$3 fasten\$3) near (wire guidewire)) same (driver screwdriver ((insertion implant\$3) near (apparatus tool)))) not (((((wire guidewire) with (lock\$4 secur\$4 retention retain\$3 fasten\$3)) with (driver screwdriver ((insertion implant\$3) near (apparatus tool)))) same (fastener screw)) not (((606/104,99) or (81/436,442,480) or (600/104,585)).CCLS.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 18:14
-	119	((lock\$4 secur\$4 retention retain\$3 fasten\$3) near (wire guidewire)) with (driver screwdriver ((insertion implant\$3) near (apparatus tool)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 18:14
-	90	((lock\$4 secur\$4 retention retain\$3 fasten\$3) near (wire guidewire)) with (driver screwdriver ((insertion implant\$3) near (apparatus tool))) not (((((wire guidewire) with (lock\$4 secur\$4 retention retain\$3 fasten\$3)) with (driver screwdriver ((insertion implant\$3) near (apparatus tool)))) same (fastener screw)) not (((606/104,99) or (81/436,442,480) or (600/104,585)).CCLS.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 18:14
-	4	((("6482206") or ("6338734") or ("6709433")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 18:38
-	2	("5323765").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/05 18:41
-	12	("2741248" "3640280" "3845554" "4169312" "4497320" "4733662" "4777725" "4962770" "4985035" "4997419" "5029573" "5120318").PN.	USPAT	2004/03/05 18:43
-	19	5323765.URPN.	USPAT	2004/03/05 18:44

L Number	Hits	Search Text	DB	Time stamp
1	2	("6436100").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2004/03/16 18:57
2	21	("1789060" "2121793" "2243717" "2550866" "2823574" "4155162" "4360012" "4858601" "4878915" "4950270" "5129906" "5169400" "5217462" "5423819" "5431651" "5456267" "5498265" "5514138" "5549677" "5584836" "5690633").PN.	USPAT	2004/03/16 17:35
3	1	6436100.URPN.	USPAT	2004/03/16 17:36
4	837	(screw with driver) and (driver with motor) and (motor with (electric pneumatic))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 18:58
5	2	((screw with driver) and (driver with motor) and (motor with (electric pneumatic))) and 606/72	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 21:07
6	3	((screw with driver) and (driver with motor) and (motor with (electric pneumatic))) and 606/104	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 19:36
7	1206232	fastener screw	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 19:36
8	493943	cannula cannulated (through adj hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 19:37
9	25547	(guide adj wire) guidewire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 19:37
10	528439	driver screwdriver ((insertion implant\$3) near (apparatus tool))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 19:38
11	47172	(cannula cannulated (through adj hole)) with (fastener screw)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 19:38
12	2543	(cannula cannulated (through adj hole)) with (driver screwdriver ((insertion implant\$3) near (apparatus tool)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 19:39
13	877	((cannula cannulated (through adj hole)) with (fastener screw)) and ((cannula cannulated (through adj hole)) with (driver screwdriver ((insertion implant\$3) near (apparatus tool)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 19:39
14	97	((cannula cannulated (through adj hole)) with (fastener screw)) and ((cannula cannulated (through adj hole)) with (driver screwdriver ((insertion implant\$3) near (apparatus tool))))) and ((guide adj wire) guidewire)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 19:39
15	22	("1410088" "2242003" "2329398" "2570465" "2593622" "2686447" "2775913" "3273442" "3289290" "3405595" "3463209" "3888144" "4171662" "4175555" "4325153" "4463753" "4537185" "4605414" "4744793" "4950270" "4950271" "5139499").PN.	USPAT	2004/03/16 20:21

16	13	5423819.URPN.	USPAT	2004/03/16 20:23
19	16	("2200120" "2301500" "2531734" "2607339" "2625934" "2697433" "2937642" "3135263" "3587560" "3704707" "3892232" "3945377" "4037592" "4050528" "4157714" "4306570").PN.	USPAT	2004/03/16 20:41
20	45	4383527.URPN.	USPAT	2004/03/16 20:43
21	45	4383527.URPN.	USPAT	2004/03/16 20:49
22	390	(606/104).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 20:53
23	153	((606/104).CCLS.) and wire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 21:07
24	1692	(606/72-73).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 21:08
25	483	((606/72-73).CCLS.) and wire not ((606/104).CCLS.) and wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 21:08